



POOL & SPA FITTINGS




“EMAUX” Inlet & Vacuum Fittings (1) Plastic ABS Grade A With UV Stabilized



Code	Model	Description	Flow Rate (L/min)	Connection (inches)	Colour
22820510005	EM2819(A2)	Gutter Drain	150 (1.5") / 235 (2.0")	1.5	White




Code	Model	Description	Flow Rate (L/min)	Connection (inches)	Colour
22800510005	EM3301(A1)	Standard Eyeball (Snap)	69	1.5	White




Code	Model	Description	Flow Rate (L/min)	Connection (inches)	Colour
22800510010	EM3302(A)	Eyeball	69	1.5	White




“EMAUX” Inlet & Vacuum Fittings (2) Plastic ABS Grade A With UV Stabilized



Code	Model	Description	Flow Rate (L/min)	Connection (inches)	Colour
22810510005	EM2827C(A)	Vacuum for Concrete Pool	150	1.5	White



Code	Model	Description	Connection (inches)	Colour
2324140050-06	EM2828V(A)	Eyeball for Vinyl Pool	1.5	White




Code	Model	Description	Connection (inches)	Colour
22810510115	EM4408(A)	Wall return inlet for Concrete pools. Glue type, adjustable angle. Ø 50mm	1.5	White


POOL & SPA FITTINGS




“EMAUX” Inlet & Vacuum Fittings (3) Plastic ABS Grade A With UV Stabilized




Code	Model	Description	Connection (inches)	Colour
22810510020	EM4412(A)	Wall return inlet with horizontal eyeball. For Vinyl and Liner pools, G2 threaded, Ø 50	1.5	White



Code	Model	Description	Connection (inches)	Colour
22810510025	EM4413(A)	Wall return inlet for Concrete pools, Glue type, Ø 50 or Ø63 adjustable angle.	1.5	White



Code	Model	Description	Connection (inches)	Colour
22810510030	EM2861(A)	Floor return inlet for Concrete pools, Glue type, Ø 63mm	2.0	White



Code	Model	Description	Flow Rate (L/min)	Connection (inches)	Colour
22810510035	EM2855	Vacuum Lock Safety Wall Fitting	150 - 240	1.5	White